

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	168475	(rear or brake or signal) near2 light\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 12:10
L2	2519	(detect\$3 or sens\$3) near5 (failure or malfunction\$3 or broken) near5 light\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 12:16
L3	81086	(replac\$3 or substitut\$3 or duplicat\$3 or compensat\$3) with light\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 12:18
L4	30	1 and (2 same 3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 12:42
L5	15	4 and (intensity or bright\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/06/20 12:43

US 6788195 B1	340/458	307/10.8; 340/642
US 6552501 B2	315/308	307/10.8; 315/119; 315/307; 315/83
US 6153980 A	315/200A	250/552; 250/553; 315/294; 315/306; 362/800
US 5909174 A	340/479	340/468; 340/508; 701/33
US 5680098 A	340/458	315/77; 315/82; 315/88; 340/475; 340/479; 340/641
US 3562580 A	315/88	315/93; 340/642
GB 2418244 A		
US 6907788 B2	73/705	
US 6805469 B1	362/365	362/364; 362/368; 362/370; 362/802; 362/95
US 6523414 B1	73/705	
US 6510110 B2	369/30.32	369/30.53; 369/30.55; 369/34.01
US 6494899 B1	607/88	607/90
US 6305760 B1	303/122.05	303/112; 303/147; 303/171; 303/181; 303/182; 303/183
US 6052135 A	347/116	226/15; 226/3; 250/559.36; 347/234; 347/248; 399/165
US 5828302 A	340/540	340/556; 340/653; 340/661; 49/31
US 5598147 A	340/630	250/573; 250/574; 340/628
US 5502434 A	340/630	250/574; 340/628; 356/439
US 5451927 A	340/457	220/86.2; 220/DIG.33; 340/438
US 5445160 A	600/532	128/205.23; 128/207.14
US 5397963 A	315/129	315/119; 315/121; 315/122; 315/130; 315/131; 315/132
US 5381131 A	340/630	340/628; 340/635
US 5307057 A	340/815.42	340/815.47; 340/815.77
US 5143444 A	362/293	362/268; 362/294
US 5045983 A	362/293	362/268; 362/319
US 4525826 A	369/44.42	369/109.01; 369/112.23; 369/120
US 4410969 A	369/44.41	369/112.23
US 4334217 A	340/685	175/45; 212/281; 33/750; 377/18; 377/39; 377/45
US 3936814 A	340/508	250/574; 340/630; 356/439
US 3579200 A	714/48	714/800
CN 1281804 A		

L<sub>4</sub>

US 5909174 A	340/479	340/468; 340/508; 701/33
US 5680098 A	340/458	315/77; 315/82; 315/88; 340/475; 340/479; 340/641
GB 2418244 A		
US 6805469 B1	362/365	362/364; 362/368; 362/370; 362/802; 362/95
US 6494899 B1	607/88	607/90
US 6052135 A	347/116	226/15; 226/3; 250/559.36; 347/234; 347/248; 399/165
US 5502434 A	340/630	250/574; 340/628; 356/439
US 5445160 A	600/532	128/205.23; 128/207.14
US 5397963 A	315/129	315/119; 315/121; 315/122; 315/130; 315/131; 315/132
US 5307057 A	340/815.42	340/815.47; 340/815.77
US 5143444 A	362/293	362/268; 362/294
US 5045983 A	362/293	362/268; 362/319
US 4525826 A	369/44.42	369/109.01; 369/112.23; 369/120
US 4410969 A	369/44.41	369/112.23
US 3936814 A	340/508	250/574; 340/630; 356/439

L5